J Am Acad Audiol 16:829–832 (2005)

Index to Volume 16

Author Index

Abrams HB, 809

Baran JA, 205
Bauer P, 564
Bentler RA, 461, 473
Berlin CI, 114, 546
Beynon AJ, 42
Bray V, 27
Brenner B, 237
Bu X, 687
Burchfield SB, 228, 677
Burks CA, 622, 726

Cahill L, 301
Caissie R, 157
Campbell MM, 157
Carpenter R, 600
Chermak GD, 554
Cherry R, 54
Chisolm TH, 809
Cienkowski KM, 637
Clark JL, 740, 822
Copland DA, 708
Cord MT, 662
Cortez R, 653
Cox RM, 419
Crandell C, 250
Cruickshanks KJ, 129, 196
Cupples L, 348

Davis B, 69
DeBoodt JL, 357
Denzin L, 383
Dimitrijevic A, 140
Dinulescu N, 653
Dorman M, 564
Dourlay M, 291
Driscoll C, 301, 687
Dunstan A, 383
Durrant JD, 585
Dyrlund Jensen O, 237, 662

Eckert AM, 312

Fabry D, 515
Fausti S, 637
Faustmann A, 708
Feeney MP, 278
Finnigan SP, 708
Formby C, 85
Forsline A, 637
Frenette WL, 157
Freyaldenhoven MC, 228, 677
Froke R, 698

Gans RE, 357
Ghent RM, 18, 27
Gilley P, 564
Golding M, 348
Grant KW, 662
Grayhack J, 585
Grimes AM, 505
Groth J, 237
Gudmundsen GI, 439

Hamernik RP, 69
Harkrider AW, 530
Harris R, 27
Hawkins DB, 485
Hickson L, 383
Hill AB, 101, 614
Hoffmann A, 301
Hood LJ, 546
Horn JE, 250
Hornsby BWY, 270
Howell I, 157
Hugo R, 5
Hull RH, 596
Hurley A, 114
Hurley RM, 114

Jespersen CT, 237

Keenan D, 333, 653, 747
Kei J, 301
Kelly T, 291
Keogh P, 653
Keogh T, 301
Kiessling J, 237
Killion MC, 439
Klein BEK, 196
Klein R, 196
Kondamuri P, 301
Krishnan A, 184
Kuchta J, 219
Kuk F, 333, 653, 747, 781

Lai L, 740
Lau C, 333, 653, 747
Lee J, 554
Lewis MS, 250
Li X, 687
Lieberth AK, 79
Lister JJ, 357
Ludvigsen C, 333

Marinac J, 301
Martin DR, 79
Martin K, 564
McArdle RA, 726, 809
Miller MT, 770
Mitchell P, 348
Moncrieff DW, 205
Montgomery E, 546
Moody L-J, 291
Morlet T, 546
Mueller HG, 448, 461
Murdoch BE, 708
Musiek FE, 205, 698

Nabelek AK, 228, 677
Nilsson M, 27
Nondahl DM, 129, 196

Otto SR, 219

Palmer CV, 494, 505, 585, 789
Perez-Abalo M-C, 140
Phillipsian C, 770
Picton TW, 140
Plyler PN, 101, 262, 614, 677
Poulis C, 291
Preminger JE, 600

Qiu W, 69

Rance G, 291
Ricketts TA, 270
Roberts RA, 357
Roeser RJ, 740, 822
Roland P, 564
Roper R, 291
Rosbe KW, 770
Roy A, 157
Rubinstein A, 54
Ruscetta MN, 585
Ryan C, 585

Sanford CA, 278
Saunders GH, 637
Schmulian D, 5
Scott L, 157
Sellars J, 383

Sharma A, 564
Shea-Miller KJ, 212
Sherlock LP, 85
Shinn JB, 205
Sindhusake D, 197
Small SA, 172
Smith SB, 530
Snik AFM, 42
St. John P, 546
Stapells DR, 172
Stegeman DF, 42
Surr RK, 662
Swanepoel D, 5
Sweeney MH, 564
Sweetow R, 494, 770
Symons L, 291

Thelin JW, 228, 677
Thibodaux M, 546
Toth V, 312
Trine TD, 101, 262, 614
Tweed TS, 129, 196

Uriarte M, 383

Valente M, 250
van den Broek P, 42
Van Roon P, 140
Van Summers W, 662
Van Vliet D, 410
Venema T, 262

Walden BE, 574, 662
Walden TC, 574
Wambacq IJA, 312
Waring MD, 219
Weakley DG, 367, 622
Weihing J, 698
Wilce E, 301
Wilensky D, 546
Wiley TL, 129, 196
Wilson JR, 184
Wilson RH, 367, 622, 726

Ziegler CH, 600

Key Word Index

absorption, 18
acceptable noise level(s), 228, 530, 677
acoustic impedance tests, 278
acoustic mass, 237
acoustic reflex, 278, 546
acoustic reflex thresholds, 530
admittance, 129
adults, 494
aging, 129, 348
ampclusion effect, 781
amplification, 564, 574, 822
analytic, 494
anechoic, 18
antiphasic, 367
assistive listening devices, 789
attention, 205
attention deficit disorder, 677
attention deficit/hyperactivity disorder, 677
attitude, 637
audibility, 333, 505
audiologic rehabilitation, 157
audiometric test room, 18
audiometry, 172
auditory brainstem implant, 219
auditory brainstem response, 5, 114, 546
auditory development, 114
auditory dynamic range, 85
auditory ERP responses, 708
auditory evoked potential(s), 69, 184
auditory neuropathy/dys-synchrony, 546
auditory perception, 726
auditory perceptual disorders, 312
auditory processing, 205, 554
auditory steady-state response(s), 140, 172, 291
auditory training, 494
aural rehabilitation, 157, 494, 822
autoimmune disease, 596, 770
automatic directionality, 662
automatic switching, 333
available gain, 653

background noise level, 228
benign paroxysmal positional vertigo, 357
bilateral, 574, 809
binaural interference, 574
binomial model, 54
biomarker, 564
bone conduction, 172

canalith repositioning maneuver, 357
categorical scaling of loudness, 85
central auditory disorders, 348
child(ren), 312, 554
clear speech, 157
click, 114
clinical trial, 473
cochlear dead regions, 600
cochlear implant, 515, 564, 770
cochlear implantation, 42, 822
Cogan's syndrome, 770
comfort, 505
communication needs, 789
communication skills, 494
communication strategies, 485
communication strategies for hearing impaired, 157
complex sound field, 18
compression, 101, 614
connected discourse, 301
consonant vowel, 205
Contour Test of Loudness, 85
contralateral hearing aids, 770
contralateral suppression of transient evoked otoacoustic emissions, 530
cortical auditory evoked potential, 564
cortical responses, 42
counseling, 637
CPHI, 250
critical appraisal, 419
cytoxan, 596

dichotic consonant-vowel, 205

dichotic digits, 574
dichotic listening, 205
dichotic multiple frequency steady state, 5
diffraction, 18
diffuse field, 27
diffuse sound field, 18
digital noise reduction, 270
directional benefit, 228
directional microphone(s), 27, 228, 473, 662
discrimination, 42
distance education, 79
distortion product otoacoustic emissions, 69
dual microphones, 473

ear advantage, 205
earmold, 237
effect size, 419
electrophysiological measurements, 42
endogenous, 698
event-related potentials, 42
everyday speech, 301
evidence, 448, 461
evidence-based outcome, 515
evidence-based practice, 410, 419
evidence-based review, 439
evoked potential normal hearing, 172
evoked potentials, 312, 698
exogenous, 698
expansion, 101, 614
expectations, 789

feedback, 494
field trial, 473
formula, 448
free sound field, 18
frequency-following response, 184
frequency modulation (FM) system, 250
front-to back ratio, 228
fully adaptive directional microphone, 333

gain, 448
gap detection, 554
group adult aural rehabilitation program, 485

hearing, 291
hearing aid(s), 18, 27, 101, 250, 383, 410, 419, 439, 448, 461, 473, 485, 515, 564, 574, 637, 662, 789, 809
hearing aid outcomes, 410
hearing aid performance, 600
hearing care, 410
hearing handicap, 485
hearing impairment, 564
hearing instruments, 237
hearing loss, 5, 348, 367, 410, 622, 726, 809
hearing screening, 687
HINT, 27
hollowness, 781
homophasic, 367

immittance, 129
infant(s), 278, 291
internal consistency reliability, 585
Internet, 79

large vestibular aqueduct syndrome, 770, 822
laser shell-making, 747
linear, 505
localization disabilities, 585
localization handicaps, 585
loudness, 461
loudness discomfort level, 85, 461
loudspeaker, 18

masking level difference, 184, 367
maximum output, 461
measured occlusion, 237
methotrexate, 596
middle ear, 129
most comfortable level, 677
multitalker 27, 367, 622

N1, 698
N400, 708
NAL, 448
neural response telemetry, 219
neurofibromatosis type 2, 219
noise reduction, 27, 473
novel venting system, 237

objective audiometry, 140
objective measures, 42, 564
obstacles to provision of hearing care, 410
occlusion, 740
occlusion effect, 237, 653, 747, 781
older people, 383
OSPL90, 461
otitis media, 301, 596
otoacoustic emissions, 546, 687
otoconia, 357
outcome(s), 383, 448, 473
output, 461
own voice problem, 781

P1, 564
P2, 698
P300, 42, 698
P600, 708
paired comparison, 270
patient simulation, 79
pediatric, 505
pediatric audiology, 822
Pendred syndrome, 770
perceived occlusion, 237
permanent threshold shift, 69
phoneme scoring, 54
phase locking, 184
phoneme recognition in noise, 530
phrase structure violations, 708
physiological thresholds, 140
plasticity, 564
prediction of occlusion effect, 237
prednisone, 596
preferences, 662
presbyacusis, 129, 367
prescription, 448
pure-tone audiometry, 79
pure-tone thresholds, 740

questionnaire(s), 473, 585, 637, 687

random noise, 18, 27
randomization test single case design, 54
real sound field, 18
real world, 448

reflection, 18
rehabilitation of hearing impaired, 809
research, 515
reverberation, 18
reverse horn vent, 653, 747

satisfaction, 383, 473
school children, 687
self-assessment, 250
self-perceived, 585
self-report, 439, 473
semantic violations, 708
sensory cell loss, 69
sentence processing, 708
signal processing, 505
signal-to-babble ratio, 622
signal-to-noise ratio, 140, 333, 662
sound field, 18, 27
sound localization, 312
sound quality, 270
soundfield testing, 18
speech coding strategies, 42
speech discrimination, 439
speech-in-noise, 18
speech intelligibility, 600
speech perception, 301, 367, 622, 726
speech reception threshold, 228
speech recognition, 54, 574, 662
speech testing, 27
stimulant medication, 677
subjective occlusion ratings, 747
sudden hearing loss, 770
synthetic, 494
systematic evidence-based review, 485
systematic review, 439, 494
systemic vasculitis, 596

telephone, 789
television, 789
temporal resolution, 554
test-retest reliability, 85, 585
threshold, 698
threshold prediction, 5
threshold sensitivity, 740
tone bursts, 114
tympanometry, 129

unilateral, 574

validity, 585
vent, 747
verification, 27, 505

Wegener's granulomatosis, 596
wide dynamic range, 505
word recognition, 367
word recognition in multitalker babble, 726
word-recognition performance, 622
word recognition scores, 439
World Wide Web, 79